

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                        |                          |                                          |
|---------------------------|------------------------|--------------------------|------------------------------------------|
| <b>Date Reported:</b>     | 5/16/2025              | <b>Sample ID:</b>        | 20250509-BEXT-003                        |
| <b>Client Name:</b>       | Bristol Extracts, LLC  | <b>Sample Name:</b>      | Snobby Dankins-Gummy-Table Breakers-10ct |
| <b>Sampling Location:</b> | Canandaigua, New York  | <b>Sample Matrix:</b>    | Edible                                   |
| <b>Contact Name:</b>      | Kristen Boorman        | <b>Sample Sub Type:</b>  | Gummy                                    |
| <b>License Number:</b>    | OCM-PROC-24-000023     | <b>Package ID:</b>       | 5248                                     |
| <b>Medical/Adult Use:</b> | Adult Use              | <b>Batch Lot ID:</b>     | SD-GM-25128-TB                           |
| <b>Sampling Date:</b>     | 05/09/2025 08:00:00 AM | <b>Batch Size:</b>       | 1100                                     |
|                           |                        | <b>Serving Size (g):</b> | 6.6                                      |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>-</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

| Analyte   | % w/w | mg/serving | MRL (% w/w) |
|-----------|-------|------------|-------------|
| CBDV      | < MRL | < MRL      | 0.001       |
| CBDA      | < MRL | < MRL      | 0.001       |
| CBGA      | < MRL | < MRL      | 0.001       |
| CBG       | 0.011 | 0.726      | 0.001       |
| CBD       | 0.003 | 0.198      | 0.001       |
| THCV      | 0.002 | 0.132      | 0.001       |
| CBN       | < MRL | < MRL      | 0.001       |
| D9-THC    | 0.162 | 10.692     | 0.001       |
| D8-THC    | < MRL | < MRL      | 0.001       |
| D10-THC-S | < MRL | < MRL      | 0.001       |
| D10-THC-R | < MRL | < MRL      | 0.001       |
| CBC       | 0.003 | 0.198      | 0.001       |
| THCA      | < MRL | < MRL      | 0.001       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #107529 | Date Tested: 05/14/2025 06:11 AM

| Potency Summary                                                                            | % w/w | mg/serving |
|--------------------------------------------------------------------------------------------|-------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 0.162 | 10.692     |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | 0.003 | 0.198      |
| <b>Total Cannabinoids</b>                                                                  | 0.181 | 11.946     |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.05        |
| Camphene            | < MRL          | 0.05        |
| Sabinene            | < MRL          | 0.05        |
| beta-Pinene         | < MRL          | 0.05        |
| beta-Myrcene        | < MRL          | 0.05        |
| Alpha-phellandrene  | < MRL          | 0.05        |
| Carene              | < MRL          | 0.05        |
| alpha-terpinene     | < MRL          | 0.05        |
| p-Cymene            | < MRL          | 0.05        |
| Limonene            | < MRL          | 0.05        |
| Eucalyptol          | < MRL          | 0.05        |
| Ocimene             | < MRL          | 0.04        |
| gamma-Terpinene     | < MRL          | 0.05        |
| Sabinene Hydrate    | < MRL          | 0.05        |
| Terpinolene         | < MRL          | 0.05        |
| Linalool            | < MRL          | 0.05        |
| Fenchol             | < MRL          | 0.05        |
| Menthol             | < MRL          | 0.05        |
| Terpineol           | < MRL          | 0.05        |
| Citronellol         | < MRL          | 0.05        |
| Isopulegol          | < MRL          | 0.05        |
| Geraniol            | < MRL          | 0.05        |
| Alpha-cedrene       | < MRL          | 0.04        |
| Beta-Caryophyllene  | < MRL          | 0.05        |
| Farnesene           | < MRL          | 0.05        |
| alpha-Humulene      | < MRL          | 0.05        |
| Valencene           | < MRL          | 0.05        |
| cis-Nerolidol       | < MRL          | 0.02        |
| trans-Nerolidol     | < MRL          | 0.03        |
| Caryophyllene oxide | < MRL          | 0.05        |
| Guaiaol             | < MRL          | 0.05        |
| alpha-Bisabolol     | < MRL          | 0.05        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107534 | Date Tested: 05/14/2025 10:22 AM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | < MRL  | 10    | PASS      |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Residual Solvents: Snobby Dankins-Gummy-Table Breakers-10ct (20250509- PASS**  
**BEXT-003)**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5            | 0.214      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 32.083     |
| Acetone                                 | PASS      | < MRL         | 5000         | 66.008     |
| Acetonitrile                            | PASS      | < MRL         | 410          | 2.631      |
| Butanes, total                          | PASS      | < MRL         | 5000         | 32.083     |
| Benzene                                 | PASS      | < MRL         | 2            | 0.043      |
| Chloroform                              | PASS      | < MRL         | 60           | 0.385      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 3.850      |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 57.750     |
| Ethanol                                 | PASS      | < MRL         | 5000         | 32.083     |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 32.083     |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 32.083     |
| n-Heptane                               | PASS      | < MRL         | 5000         | 32.083     |
| Hexanes, total                          | PASS      | < MRL         | 290          | 1.861      |
| Methanol                                | PASS      | 35.2          | 3000         | 19.250     |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 32.083     |
| Propane                                 | PASS      | < MRL         | 5000         | 32.083     |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 119.543    |
| Toluene                                 | PASS      | < MRL         | 890          | 5.711      |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 57.750     |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 13.924     |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107532 | Date Tested: 05/14/2025 11:59 AM



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003) PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.250      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.050      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.20         | 0.050      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.250      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107533 | Date Tested: 05/15/2025 05:19 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Mycotoxins: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003) PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

| Analyte          | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|------------------|-----------|---------------|--------------|------------|
| Ochratoxin       | PASS      | < MRL         | 0.02         | 0.010      |
| Total Aflatoxins | PASS      | < MRL         | 0.02         | 0.010      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107530 | Date Tested: 05/15/2025 05:22 AM

### Heavy Metals: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003) PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)

| Analyte  | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|----------|-----------|---------------|--------------|------------|
| Chromium | PASS      | < MRL         | 1100.0       | 8.00       |
| Nickel   | PASS      | < MRL         | 20.0         | 1.00       |
| Copper   | PASS      | < MRL         | 300.0        | 8.00       |
| Arsenic  | PASS      | < MRL         | 1.5          | 0.10       |
| Cadmium  | PASS      | < MRL         | 0.5          | 0.10       |
| Antimony | PASS      | < MRL         | 120.0        | 1.00       |
| Mercury  | PASS      | < MRL         | 3.0          | 0.05       |
| Lead     | PASS      | < MRL         | 0.5          | 0.20       |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107531 | Date Tested: 05/13/2025 08:25 AM

### Microbiological Screen: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003) PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)

| Analyte                                         | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|-------------------------------------------------|-----------|-----------------|---------------|-------------|
| Total Aerobic Bacteria                          | PASS      | < MRL           | 10000         | 10          |
| Total Yeast & Mold                              | PASS      | < MRL           | 1000          | 10          |
| Salmonella spp                                  | PASS      | Absent          | Absent        | 1           |
| Shiga toxin-producing E. coli                   | PASS      | Absent          | Absent        | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus) | PASS      | Absent          | Absent        | 1           |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107535 | Date Tested: 05/12/2025 11:51 AM

### Water Activity: Snobby Dankins-Gummy-Table Breakers-10ct (20250509-BEXT-003) PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

| Analyte        | Pass/Fail | Result (a <sub>w</sub> ) | Limit (a <sub>w</sub> ) |
|----------------|-----------|--------------------------|-------------------------|
| Water Activity | PASS      | 0.61                     | 0.85                    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #107536 | Date Tested: 05/15/2025 04:08 AM



Matthew Elmes  
Lab Director  
5/16/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.