

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                           |                          |                                                                 |
|---------------------------|---------------------------|--------------------------|-----------------------------------------------------------------|
| <b>Date Reported:</b>     | 9/5/2025                  | <b>Sample ID:</b>        | 20250828-BEXT-003                                               |
| <b>Client Name:</b>       | Bristol Extracts, LLC     | <b>Sample Name:</b>      | Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers |
| <b>Sampling Location:</b> | Canandaigua, New York     | <b>Sample Matrix:</b>    | Flower                                                          |
| <b>Contact Name:</b>      | Kristen Boorman           | <b>Sample Sub Type:</b>  | Infused Pre-roll                                                |
| <b>Contact Email:</b>     | admin@bristolextracts.com | <b>Package ID:</b>       | 3922000000005584,                                               |
| <b>License Number:</b>    | OCM-PROC-24-000023        | <b>Batch Lot ID:</b>     | SD-IPR-25239-TB                                                 |
| <b>Medical/Adult Use:</b> | Adult Use                 | <b>Batch Size:</b>       | 1500                                                            |
| <b>Sampling Date:</b>     | 08/28/2025 11:00:00 AM    | <b>Serving Size (g):</b> | 0.5                                                             |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.206       |
| CBDA      | 0.935  | 4.675      | 0.206       |
| CBGA      | 0.542  | 2.711      | 0.206       |
| CBG       | 0.364  | 1.820      | 0.206       |
| CBD       | < MRL  | < MRL      | 0.206       |
| THCV      | < MRL  | < MRL      | 0.206       |
| CBN       | < MRL  | < MRL      | 0.206       |
| D9-THC    | 9.505  | 47.524     | 0.206       |
| D8-THC    | < MRL  | < MRL      | 0.206       |
| D10-THC-S | < MRL  | < MRL      | 0.206       |
| D10-THC-R | < MRL  | < MRL      | 0.206       |
| CBC       | < MRL  | < MRL      | 0.206       |
| THCA      | 24.601 | 123.006    | 0.206       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #134821 | Date Tested: 09/02/2025 07:34 PM

| Potency Summary                                                                            | % w/w  | mg/serving |
|--------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 31.080 | 155.400    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | 1.024  | 5.119      |
| <b>Total Cannabinoids</b>                                                                  | 36.300 | 181.502    |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.16        |
| Camphene            | < MRL          | 0.16        |
| Sabinene            | < MRL          | 0.16        |
| beta-Pinene         | < MRL          | 0.16        |
| beta-Myrcene        | 0.16           | 0.16        |
| Alpha-phellandrene  | < MRL          | 0.16        |
| Carene              | < MRL          | 0.16        |
| alpha-terpinene     | < MRL          | 0.16        |
| p-Cymene            | < MRL          | 0.16        |
| Limonene            | 0.20           | 0.16        |
| Eucalyptol          | < MRL          | 0.16        |
| Ocimene             | < MRL          | 0.11        |
| gamma-Terpinene     | < MRL          | 0.16        |
| Sabinene Hydrate    | < MRL          | 0.16        |
| Terpinolene         | < MRL          | 0.16        |
| Linalool            | < MRL          | 0.16        |
| Fenchol             | < MRL          | 0.16        |
| Menthol             | < MRL          | 0.16        |
| Terpineol           | < MRL          | 0.16        |
| Citronellol         | < MRL          | 0.16        |
| Isopulegol          | < MRL          | 0.16        |
| Geraniol            | < MRL          | 0.16        |
| Alpha-cedrene       | < MRL          | 0.12        |
| Beta-Caryophyllene  | 0.54           | 0.16        |
| Farnesene           | < MRL          | 0.16        |
| alpha-Humulene      | 0.23           | 0.16        |
| Valencene           | < MRL          | 0.16        |
| cis-Nerolidol       | < MRL          | 0.06        |
| trans-Nerolidol     | < MRL          | 0.09        |
| Caryophyllene oxide | < MRL          | 0.16        |
| Guaiol              | < MRL          | 0.16        |
| alpha-Bisabolol     | 0.17           | 0.16        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134825 | Date Tested: 08/31/2025 09:02 AM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 1.29   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5            | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2            | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60           | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134824 | Date Tested: 09/03/2025 11:28 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 0.20         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etiozazole              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.40         | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 0.40         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134818 | Date Tested: 09/02/2025 11:23 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Mycotoxins: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte          | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|------------------|-----------|---------------|--------------|------------|
| Ochratoxin       | PASS      | < MRL         | 0.02         | 0.010      |
| Total Aflatoxins | PASS      | < MRL         | 0.02         | 0.010      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134819 | Date Tested: 09/02/2025 11:23 AM

### Heavy Metals: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)

| Analyte  | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|----------|-----------|---------------|--------------|------------|
| Chromium | PASS      | < MRL         | 110.0        | 8.00       |
| Nickel   | PASS      | 1.451         | 5.0          | 1.00       |
| Copper   | PASS      | 13.992        | 30.0         | 8.00       |
| Arsenic  | PASS      | < MRL         | 0.2          | 0.10       |
| Cadmium  | PASS      | < MRL         | 0.2          | 0.10       |
| Antimony | PASS      | < MRL         | 2.0          | 1.00       |
| Mercury  | PASS      | < MRL         | 0.1          | 0.05       |
| Lead     | PASS      | < MRL         | 0.5          | 0.20       |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134817 | Date Tested: 09/01/2025 09:57 AM

### Microbiology - Plating: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Microbial analysis utilizing microbial enumeration (SOP-700-NY)

| Analyte                | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|------------------------|-----------|-----------------|---------------|-------------|
| Total Aerobic Bacteria | PASS      | 610000          | None          | 100.0       |
| Total Yeast & Mold     | PASS      | 37273           | None          | 100.0       |

### Microbiology - qPCR:

Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)

| Analyte                                         | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|-------------------------------------------------|-----------|-----------------|---------------|-------------|
| Salmonella spp                                  | PASS      | Absent          | Absent        | 1.0         |
| Shiga toxin-producing E. coli                   | PASS      | Absent          | Absent        | 1.0         |
| Aspergillus (fumigatus, flavus, niger, terreus) | PASS      | Absent          | Absent        | 1.0         |

MRL = Minimum reporting limit/limit of quantification

Test IDs: #134827, #134826, #134829, #134828 | Date Tested: 09/01/2025 01:24 PM, 09/02/2025 08:55 AM

### Moisture: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)

| Analyte  | Pass/Fail | Result (%) | Limit (%) |
|----------|-----------|------------|-----------|
| Moisture | PASS      | 8.5        | 15        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134820 | Date Tested: 09/01/2025 08:00 AM



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Water Activity: Snobby Dankins - Infused Preroll - 0.5g 2-Pack - Table Breakers (20250828-BEXT-003)

**PASS**

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

| Analyte        | Pass/Fail | Result ( $a_w$ ) | Limit ( $a_w$ ) |
|----------------|-----------|------------------|-----------------|
| Water Activity | PASS      | 0.53             | 0.65            |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134816 | Date Tested: 09/01/2025 07:44 AM



Matthew Elmes  
Lab Director  
9/5/2025

