

## Sample Result: PASS

|                    |                           |
|--------------------|---------------------------|
| Date Reported:     | 1/26/2026                 |
| Client Name:       | Bristol Extracts, LLC     |
| Sampling Location: | Canandaigua, New York     |
| Contact Name:      | Kristen Boorman           |
| Contact Email:     | admin@bristolextracts.com |
| License Number:    | OCM-PROC-24-000023        |
| Medical/Adult Use: | Adult Use                 |
| Sampling Date:     | 01/15/2026 10:00:00 AM    |

|                   |                          |
|-------------------|--------------------------|
| Sample ID:        | 20260115-BEXT-004        |
| Sample Name:      | SFG Vape-Trainwreck-1.0g |
| Sample Matrix:    | Concentrate              |
| Sample Sub Type:  | Vape                     |
| Package ID:       | 1A4120300009C8000000860  |
| Batch Lot ID:     | SD-VP-26014-TW           |
| Batch Size:       | 1000                     |
| Serving Size (g): | 1                        |

|                |   |                 |   |                          |   |            |   |
|----------------|---|-----------------|---|--------------------------|---|------------|---|
| Potency        | T | Pesticides      | P | Heavy Metals             | P | Mycotoxins | P |
| Water Activity | - | Microbiological | P | Residual Solvents        | P | Terpenes   | P |
|                |   | Moisture        | - | Filth & Foreign Material | - |            |   |

"- = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004)

| Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY) |        |            |             |
|--|--------|------------|-------------|
| Analyte  | % w/w  | mg/serving | MRL (% w/w) |
| CBDV   | < MRL  | < MRL      | 0.354       |
| CBDA   | < MRL  | < MRL      | 0.354       |
| CBGA   | < MRL  | < MRL      | 0.354       |
| CBG  | 3.481  | 34.810     | 0.354       |
| CBD  | 7.011  | 70.110     | 0.354       |
| THCV   | 0.968  | 9.681      | 0.354       |
| CBN  | 1.505  | 15.046     | 0.354       |
| D9-THC   | 76.532 | 765.316    | 0.354       |
| D8-THC   | < MRL  | < MRL      | 0.354       |
| D10-THC-S  | < MRL  | < MRL      | 0.354       |
| D10-THC-R  | < MRL  | < MRL      | 0.354       |
| CBC  | 1.268  | 12.682     | 0.354       |
| THCA   | < MRL  | < MRL      | 0.354       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x 10 x serving size weight (g)

Test ID: #183879 | Date Tested: 01/20/2026 09:28 AM

| Potency Summary  | % w/w  | mg/serving |
|--|--------|------------|
| Total THC [ $\Delta 8\text{-THC} + \Delta 9\text{-THC} + \Delta 10\text{-THC} + (\text{THCA} * 0.877)$ ] | 76.532 | 765.316    |
| Total CBD [ CBD + (CBDA * 0.877) ]   | 7.011  | 70.110     |
| Total Cannabinoids   | 90.764 | 907.645    |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

### Terpenes: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004)

PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | 0.12           | 0.11        |
| Camphene            | < MRL          | 0.11        |
| Sabinene            | < MRL          | 0.11        |
| beta-Pinene         | 0.23           | 0.11        |
| beta-Myrcene        | 0.34           | 0.11        |
| Alpha-phellandrene  | < MRL          | 0.11        |
| Carene              | 0.12           | 0.11        |
| alpha-terpinene     | < MRL          | 0.11        |
| p-Cymene            | < MRL          | 0.11        |
| Limonene            | 0.35           | 0.11        |
| Eucalyptol          | < MRL          | 0.11        |
| Ocimene             | 0.10           | 0.08        |
| gamma-Terpinene     | < MRL          | 0.11        |
| Sabinene Hydrate    | < MRL          | 0.11        |
| Terpinolene         | 1.03           | 0.11        |
| Linalool            | < MRL          | 0.11        |
| Fenchol             | < MRL          | 0.11        |
| Menthol             | < MRL          | 0.11        |
| Terpineol           | < MRL          | 0.11        |
| Citronellol         | < MRL          | 0.11        |
| Isopulegol          | < MRL          | 0.11        |
| Geraniol            | < MRL          | 0.11        |
| Alpha-cedrene       | < MRL          | 0.09        |
| Beta-Caryophyllene  | 0.49           | 0.11        |
| Farnesene           | 0.14           | 0.11        |
| alpha-Humulene      | < MRL          | 0.11        |
| Valencene           | 0.12           | 0.11        |
| cis-Nerolidol       | < MRL          | 0.04        |
| trans-Nerolidol     | < MRL          | 0.07        |
| Caryophyllene oxide | < MRL          | 0.11        |
| Guaiol              | < MRL          | 0.11        |
| alpha-Bisabolol     | 0.12           | 0.11        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #183883 | Date Tested: 01/20/2026 08:20 AM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 3.15   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

| Residual Solvents: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004) |           |               |              |            | PASS |
|---|-----------|---------------|--------------|------------|------|
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |      |
| 1,2-Dichloroethane  | PASS      | < MRL         | 5            | 3.500      |      |
| 2-Propanol  | PASS      | < MRL         | 5000         | 500.000    |      |
| Acetone   | PASS      | < MRL         | 5000         | 2000.000   |      |
| Acetonitrile  | PASS      | < MRL         | 410          | 40.000     |      |
| Butanes, total  | PASS      | < MRL         | 5000         | 2500.000   |      |
| Benzene   | PASS      | < MRL         | 2            | 0.650      |      |
| Chloroform  | PASS      | < MRL         | 60           | 6.000      |      |
| Dichloromethane   | PASS      | < MRL         | 600          | 60.000     |      |
| Dimethyl Sulfoxide  | PASS      | < MRL         | 5000         | 1000.000   |      |
| Ethanol   | PASS      | < MRL         | 5000         | 500.000    |      |
| Ethyl acetate   | PASS      | < MRL         | 5000         | 500.000    |      |
| Ethyl ether   | PASS      | < MRL         | 5000         | 500.000    |      |
| n-Heptane   | PASS      | < MRL         | 5000         | 500.000    |      |
| Hexanes, total  | PASS      | < MRL         | 290          | 30.000     |      |
| Methanol  | PASS      | < MRL         | 3000         | 300.000    |      |
| Pentanes, total   | PASS      | < MRL         | 5000         | 500.000    |      |
| Propane   | PASS      | < MRL         | 5000         | 500.000    |      |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a)                         | PASS      | < MRL         | 1000         | 400.000    |      |
| Toluene   | PASS      | < MRL         | 890          | 100.000    |      |
| Trichloroethane   | PASS      | < MRL         | 1500         | 1000.000   |      |
| Xylenes, total  | PASS      | < MRL         | 2170         | 250.000    |      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #183882 | Date Tested: 01/21/2026 09:37 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

### Pesticides: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinoxy              | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantraniliprole     | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 0.20         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxy carb             | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.40         | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 0.40         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #183877 | Date Tested: 01/20/2026 10:07 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
 401 North Middletown Road, Building 60B  
 Pearl River, NY 10965  
 www.greenanalyticsllc.com  
 License #: OCM-CPL-00013  
 ISO 17025 Certificate No.: 4356.09

### Mycotoxins: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004)

PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte          | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|------------------|-----------|---------------|--------------|------------|
| Ochratoxin       | PASS      | < MRL         | 0.02         | 0.010      |
| Total Aflatoxins | PASS      | < MRL         | 0.02         | 0.010      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #183878 | Date Tested: 01/22/2026 09:34 AM

### Heavy Metals: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004)

PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)

| Analyte  | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|----------|-----------|---------------|--------------|------------|
| Chromium | PASS      | < MRL         | 110.0        | 8.00       |
| Nickel   | PASS      | < MRL         | 2.0          | 1.00       |
| Copper   | PASS      | < MRL         | 30.0         | 8.00       |
| Arsenic  | PASS      | < MRL         | 0.2          | 0.10       |
| Cadmium  | PASS      | < MRL         | 0.2          | 0.10       |
| Antimony | PASS      | < MRL         | 2.0          | 1.00       |
| Mercury  | PASS      | < MRL         | 0.1          | 0.05       |
| Lead     | PASS      | < MRL         | 0.5          | 0.20       |

MRL = Minimum reporting limit/limit of quantification

Test ID: #183876 | Date Tested: 01/19/2026 02:21 PM

### Microbiology - Plating: SFG Vape-Trainwreck-1.0g (20260115-BEXT-004)

PASS

Microbial analysis utilizing microbial enumeration (SOP-700-NY)

| Analyte                | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|------------------------|-----------|-----------------|---------------|-------------|
| Total Aerobic Bacteria | PASS      | < MRL           | 10000.0       | 100.0       |
| Total Yeast & Mold     | PASS      | < MRL           | 1000.0        | 100.0       |

### Microbiology - qPCR:

Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)

| Analyte   | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|---|-----------|-----------------|---------------|-------------|
| Salmonella spp                                  | PASS      | Absent          | Absent        | 1.0         |
| Shiga toxin-producing E. coli                   | PASS      | Absent          | Absent        | 1.0         |
| Aspergillus (fumigatus, flavus, niger, terreus) | PASS      | Absent          | Absent        | 1.0         |

Test IDs: #183885, #183884, #183887, #183886 | Date Tested: 01/20/2026 06:23 PM, 01/19/2026 12:38 PM, 01/19/2026 12:43 PM, 01/19/2026 12:47 PM

MRL = Minimum reporting limit/limit of quantification



Matthew Elmes  
 Lab Director  
 1/26/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.